

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
  - Product name:

**COFRAN MARATHON MAX 10W40** 

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

Contact Person:	
E-mail: info.fds@fuchs.com <b>1.4 Emergency telephone number:</b> +33 (0)1 45 42 59 59 (	ORFILA)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation GB-CLP.

#### Classification according to GB-CLP.

# Hazard summary Physical Hazards: No data available.

#### 2.2 Label Elements

EUH208: Contains Alkyl phenol, long chain. May produce an allergic reaction.

EUH210: Safety data sheet available on request.



2.3 Other hazards:

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	UK-REACH Regis- tration No.	Notes
mineral oil	EINECS: 265-157-1	20,00% - <50,00%		
alkylphenol	EINECS: 406-040-9	1,00% - <5,00%		
zinc dithiophosphate	EINECS: 298-577-9	1,00% - <2,50%		
Alkyl phenol, long chain	EC: 931-468-2	0,10% - <1,00%		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

# Classification

Chemical name	Identifier	Classification
mineral oil	EINECS: 265-157-1	GBCLP: Asp. Tox. 1;H304
alkylphenol	EINECS: 406-040-9	GBCLP: Aquatic Chronic 4;H413
zinc dithiophosphate	EINECS: 298-577-9	GBCLP: Skin Irrit. 2;H315, Eye Dam. 1;H318, Aquatic Chronic 2;H411
Alkyl phenol, long chain	EC: 931-468-2	GBCLP: Skin Sens. 1B;H317, STOT RE 2;H373

GB-CLP

#### specific concentration limit

Chemical name		specific concentra- tion limit	Hazard class	Category	Hazard state- ments
zinc dithiophosphate EINECS: 29	EINECS: 298-577-9	6,25 - 100 %	Skin irritation	2	H315
		> 10 - 12,5 %	Serious eye irritation	2	H319
		> 12,5 - 100 %	Serious eye damage	1	H318

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation GB-CLP.

#### **SECTION 4: First aid measures**



General:	Instantly remove any clothing soiled by the product.	
4.1 Description of first aid measures		
Inhalation:	Supply fresh air; consult doctor in case of symptoms.	
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.	
Skin Contact:	Wash with soap and water.	
Ingestion:	Rinse mouth thoroughly.	
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.	
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.	

# SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-ed	
	Unsuitable extinguishing media:	Water with a full water jet.	
5.2	Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.	
5.3 Advice for firefighters			
	Special fire-fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
	Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
SEC	TION 6: Accidental release me	easures	

#### 6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.



6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
SECTION 7: Handling and storage	:
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed. Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s): No data available.Storage Class: 10, Combustible liquids

#### SECTION 8: Exposure controls/personal protection

## 8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

# 8.2 Exposure controls Appropriate engineering controls: Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

General information:	Wash hands before breaks and after work. Use personal protective equip-
	ment as required. Personal protection equipment should be chosen accord-
	ing to the CEN standards and in discussion with the supplier of the personal
	protective equipment. The usual precautionary measures should be ad-
	hered to inhandling the chemicals or the mineral oil products.



Eye/face protection:	Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.
Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Light brown
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water) Not applicable
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	228 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,85 g/cm3 (15 °C)



Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	85 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
9.2 Other information	No data available.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

# Acute toxicity

Oral Product: Specified substance(s)	Not classified for acute toxicity based on available data.
mineral oil	LD 50 (Rat): > 5.000 mg/kg
zinc dithiophosphate	LD 50 (Rat): 2.600 mg/kg
Dermal Product: Specified substance(s)	Not classified for acute toxicity based on available data.
zinc dithiophosphate	LD 50 (Rabbit): > 3.160 mg/kg (OECD 402)



Inhalation Product: Specified substance(s) mineral oil	Not classified for acute toxicity based on available data.
	LC 50 (Rat, 4 h): > 2.500 mg/l Vapour
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.
Specified substance(s) alkylphenol	OECD 404 (Rabbit): Not irritant.
zinc dithiophosphate	OECD 404 (Guinea Pig, 4 h): Causes skin irritation.
Serious Eye Damage/Eye Irri Product: Specified substance(s)	itation: Based on available data, the classification criteria are not met.
alkylphenol	OECD 405 (Rabbit): Not irritant.
Respiratory or Skin Sensitiza Product:	Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria
Specified substance(s) alkylphenol	are not met. No sensitizing effect (guinea pig); OECD 406
zinc dithiophosphate	No sensitizing effect (guinea pig); OECD 406
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.
Carcinogenicity Product:	Based on available data, the classification criteria are not met.
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.
Specific Target Organ Toxici Product:	<b>ty - Single Exposure</b> Based on available data, the classification criteria are not met.
Specific Target Organ Toxici Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.
Other adverse effects:	No data available.
sue Date: 14.01.2021	



# **SECTION 12: Ecological information**

12.1 Toxicity		
Acute toxicity Product:	Based on available data, the classification criteria are not met.	
Fish Specified substance(s) alkylphenol	LC 50 (Fish, 96 h): > 74 mg/l (OECD 203)	
zinc dithiophosphate	LC 50 (Fish, 96 h): 4,5 mg/l (OECD 203)	
Aquatic Invertebrates Specified substance(s) alkylphenol	EC 50 (Water Flea, 24 h): > 101 mg/l (OECD 202)	
zinc dithiophosphate	EC 50 (Water Flea, 48 h): 5,4 mg/l (OECD 202)	
Chronic Toxicity Product:	Based on available data, the classification criteria are not met.	
Toxicity to Aquatic Plants Specified substance(s) zinc dithiophosphate	EbC50 (Alga, 96 h): 2,1 mg/l (OECD 201)	
12.2 Persistence and Degradability		
Biodegradation Product: Specified substance(s) alkylphenol	Not applicable for mixtures	
	(OECD 301B) Not readily degradable.	
zinc dithiophosphate	1,5 % (28 d, OECD 301B) Not easily biodegradable	
12.3 Bioaccumulative potential Product: Specified substance(s) alkylphenol	Not applicable for mixtures	
	Oncorhynchus mykiss, Bioconcentration Factor (BCF): 260 (OECD 305) May be accumulated in organism	
zinc dithiophosphate	Due to the distribution coefficient n-octanol/water an accumulation in organ- isms is not expected.	
12.4 Mobility in soil: Product:	Not applicable for mixtures	
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB crite- ria.	



12.6 Other adverse effects:	No data available.
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.
SECTION 13: Disposal consider	ations
13.1 Waste treatment methods	
General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.
List of Waste (LoW) Codes	

13 02 05\*: mineral-based non-chlorinated engine, gear and lubricating oils

# **SECTION 14: Transport information**

# ADR/RID

14.1 UN number or ID number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
Hazard No. (ADR):	_
Tunnel restriction code:	-
14.4 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_
IMDG	
14.1 UN number or ID number:	_
	-
14.2 UN Proper Shipping Name:	-
	– – Non-dangerous goods
14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es)	– – Non-dangerous goods –
14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class:	– – Non-dangerous goods – –
14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s):	– – Non-dangerous goods – – –
14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es) Class: Label(s): EmS No.:	– – Non-dangerous goods – – –
<ul> <li>14.2 UN Proper Shipping Name:</li> <li>14.3 Transport Hazard Class(es) Class: Label(s): EmS No.:</li> <li>14.3 Packing Group:</li> </ul>	– – Non-dangerous goods – – – –



ΙΑΤΑ	
14.1 UN number or ID number:	_
14.2 Proper Shipping Name:	_
14.3 Transport Hazard Class(es):	
Class:	Non-dangerous goods
Label(s):	-
14.4 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	-

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### **GB** Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019: none

# The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020: none

**15.2 Chemical safety as**sessment: No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

**Revision Information:** Vertical lines in the margin indicate an amendment.

## Wording of the H-statements in section 2 and 3

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated expo-
- sure.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

Other information: The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially similar mixtures"; Expert Judgement

# Revision Date:



**Disclaimer:** 

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.