

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
 - Product name:

COFRAN SINTOGEAR FE 75W-90

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier Telephone: Fax:	COFRAN FLF 1, rue Lavoisier 92000 Nanterre France +33 (0) 1 41 37 42 00 +33 (0) 1 41 37 42 16
Contact Person: E-mail:	info.fds@fuchs.com
1.4 Emergency telephone number:	+33 (0)1 45 42 59 59 (ORFILA)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation GB-CLP.

Classification according to GB-CLP.

Hazard summary Physical Hazards: No data available.

2.2 Label Elements

EUH208: Contains organic Polysulphide, amine phosphate. May produce an allergic reaction.

EUH210: Safety data sheet available on request.



2.3 Other hazards:

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information:

Mixture of synthetic base oils with additives.

Chemical name	Identifier	Concentration *	UK-REACH Regis- tration No.	Notes
organic Polysulphide	EINECS: 273-103-3	5,00% - <10,00%		
Hydrocarbons, low viscous	EC: 500-183-1	1,00% - <10,00%		
base oil	EINECS: 278-012-2	1,00% - <10,00%		
amine phosphate	EINECS: 931-384-6	1,00% - <2,50%		
Amine aromatic , alkylated	EINECS: 270-128-1	0,10% - <1,00%		

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classifi	cation
organic Polysulphide	EINECS: 273-103-3	GBCLP:	Skin Sens. 1B;H317, Aquatic Chronic 3;H412
Hydrocarbons, low viscous	EC: 500-183-1	GBCLP:	Asp. Tox. 1;H304
base oil	EINECS: 278-012-2	GBCLP:	Asp. Tox. 1;H304
amine phosphate	EINECS: 931-384-6	GBCLP:	Eye Dam. 1;H318, Acute Tox. 4;H302, Skin Sens. 1;H317, Aquatic Chronic 2;H411
Amine aromatic , alkylated	EINECS: 270-128-1	GBCLP:	Repr. 2;H361f, Aquatic Chronic 3;H412
GB-CLP	•		•

GB-CLP

specific concentration limit

Chemical name		specific concentra- tion limit	Hazard class	Category	Hazard state- ments
organic Polysulphide	EINECS: 273-103-3	> 46 %	Skin sensitizer	1B	H317
amine phosphate	EINECS: 931-384-6	> 50 %	Skin sensitizer Serious eye damage Serious eye irritation	1 1 2	H317 H318 H319

For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

General:

Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures



Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.
Ingestion:	Rinse mouth thoroughly.
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-ed
Unsuitable extinguishing media:	Water with a full water jet.
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.
5.3 Advice for firefighters	
Special fire-fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
SECTION 6: Accidental release m	easures

6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.



6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.	
6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
SECTION 7: Handling and storage	9:	
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.	
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed. Do not heat up to temperatures close to the flash point.	
7.3 Specific end use(s):	No data available.	
Storage Classe	10, Combustible liquids	
Storage Class:		
SECTION 8: Exposure controls/pd	· · · · · · · · · · · · · · · · · · ·	
SECTION 8: Exposure controls/po	· · · · · · · · · · · · · · · · · · ·	
SECTION 8: Exposure controls/po 8.1 Control Parameters	ersonal protection	
SECTION 8: Exposure controls/po	ersonal protection	
SECTION 8: Exposure controls/po 8.1 Control Parameters	ersonal protection	
SECTION 8: Exposure controls/pe 8.1 Control Parameters Occupational Exposure Limit	ersonal protection	
SECTION 8: Exposure controls/pe 8.1 Control Parameters Occupational Exposure Limit 8.2 Exposure controls Appropriate engineering controls:	ersonal protection ts None of the components have assigned exposure limits. Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air-	



Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pock- ets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Yellow
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	200 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)–:	Not applicable for mixtures
Flammability Limit - Lower (%)–:	Not applicable for mixtures
Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,86 g/ml (15,00 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water



Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Auto-ignition temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	122,21 mm2/s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral Product: Specified substance(s) organic Polysulphide	ATEmix: 28.985 mg/kg
	LD 50 (Rat): 6.500 mg/kg
Hydrocarbons, low vis- cous	LD 50 (Rat): > 5.000 mg/kg
Amine aromatic , alkylat- ed	LD 50 (Rat): > 5.000 mg/kg (OECD 401)
Dermal Product:	Not classified for acute toxicity based on available data.



Inhalation Product: Specified substance(s) Hydrocarbons, low vis- cous	Not classified for acute toxicity based on available data. LC 50 (Rat, 4 h): > 5 mg/l Dust and mist	
Skin Corrosion/Irritation: Product:	Based on available data, the classification criteria are not met.	
Serious Eye Damage/Eye Irritation: Product: Based on available data, the classification criteria are not met.		
Specified substance(s) Amine aromatic , alkylat- ed	OECD 405 (Rabbit): Not irritant.	
Respiratory or Skin Sensitization:		
Product: Specified substance(s)	Experimental data has shown that the concentration of potentially sensitiz- ing components present in this product does not induce skin sensitization.	
Amine aromatic , alkylat- ed	No sensitizing effect (guinea pig); OECD 406	
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.	
Carcinogenicity Product:	Based on available data, the classification criteria are not met.	
Reproductive toxicity Product: Specified substance(s)	Based on available data, the classification criteria are not met.	
Amine aromatic , alkylat- ed	oral (Rat, OECD 421), Suspected of damaging fertility.	
Specific Target Organ Toxic Product:	Specific Target Organ Toxicity - Single ExposureProduct:Based on available data, the classification criteria are not met.	
Specific Target Organ Toxic Product:	ity - Repeated Exposure Based on available data, the classification criteria are not met.	
Aspiration Hazard Product:	Based on available data, the classification criteria are not met.	
Other adverse effects:	No data available.	



SECTION 12: Ecological information	
General information:	Not applicable
12.1 Toxicity	
Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Hydrocarbons, low vis- cous	LC 50 (Fish, 96 h): > 750 mg/l
amine phosphate	LC 50 (Fish, 96 h): 24 mg/l
Amine aromatic , alkylat- ed	LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) organic Polysulphide	EC 50 (Water Flea, 48 h): 63 mg/l (OECD 202)
Hydrocarbons, low vis- cous	EC 50 (Water Flea, 48 h): 190 mg/l
amine phosphate	EC 50 (Water Flea, 48 h): 91,4 mg/l
Amine aromatic , alkylat- ed	EC 50 (Daphnia magna): 51 mg/l (OECD 202)
Chronic Toxicity Product:	Based on available data, the classification criteria are not met.
Aquatic Invertebrates Specified substance(s) amine phosphate	NOEC (Water Flea, 21 d): 0,12 mg/l
Toxicity to Aquatic Plants Specified substance(s) organic Polysulphide	EC 50 (Alga, 72 h): > 101 mg/l (OECD 201)
Hydrocarbons, low vis- cous	EC 50 (Alga, 72 h): > 1.000 mg/l
amine phosphate	EC 50 (Alga, 72 h): > 100 mg/l
Amine aromatic , alkylat- ed	EC 50 (72 h): > 100 mg/l (OECD 201)

12.2 Persistence and Degradability



Biodegradation Product: Specified substance(s) organic Polysulphide	Not applicable for mixtures
	13 % (28 d, OECD 301B) Not readily degradable.
Amine aromatic , alkylat- ed	Not readily degradable.
12.3 Bioaccumulative potential Product:	Not applicable for mixtures
12.4 Mobility in soil: Product:	Not applicable for mixtures
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB crite- ria.
12.6 Other adverse effects:	No data available.
Water Hazard Class (WGK):	WGK 2: significantly water-endangering.
SECTION 13: Disposal consideration	tions

13.1 Waste treatment methods

General information:	Dispose in accordance with all applicable regulations.
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.

List of Waste (LoW) Codes

13 02 06*: synthetic engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID

14.1 UN number or ID number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
Hazard No. (ADR):	_
Tunnel restriction code:	-
14.4 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_
• •	



IMDG	
14.1 UN number or ID number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
EmS No.:	_
14.3 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_
ΙΑΤΑ	
14.1 UN number or ID number:	_
14.2 Proper Shipping Name:	_
14.3 Transport Hazard Class(es):	
Class:	Non-dangerous goods
Label(s):	_
14.4 Packing Group: 14.5 Environmental hazards:	—
	—
14.6 Special precautions for user:	—

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019: none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020: none

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

DIRECTIVE Control of Major Accident Hazards Regulations 2015:

Not applicable

SECTION 16: Other information

Revision Information: Vertical lines in t

Vertical lines in the margin indicate an amendment.



Wording of the H-statements in section 2 and 3

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
ormation:	The classification complies with the cu

Other information: The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially similar mixtures"; Expert Judgement

Revision Date: Disclaimer:

ŀ

20.07.2023

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.