

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: COFRAN SINTOLUX FORCE V 0W-20

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier	COFRAN FLF 1, rue Lavoisier 92000 Nanterre France
Telephone: Fax:	+33 (0) 1 41 37 42 00 +33 (0) 1 41 37 42 16
Contact Person: E-mail:	info.fds@fuchs.com
I.4 Emergency telephone number:	+33 (0)1 45 42 59 59 (ORFILA)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Hazard summary Physical Hazards: No data available.

2.2 Label Elements

1

EUH208: Contains Calcium long chain alkyl salicylate, Ca Sulfonate. May produce an allergic reaction.

EUH210: Safety data sheet available on request.



2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier		REACH Registra- tion No.	Notes
Base oil paraffinic	EINECS: 265-157-1	50,00% - <100,00%	01-2119484627-25	
Hydrocarbons, low viscosity	EC: 500-183-1	1,00% - <10,00%	01-2119486452-34	
alkarylamine, longchained	EINECS: 253-249-4	1,00% - <5,00%	01-2119488911-28	
alkylphenol ester	EC: 406-040-9	1,00% - <5,00%	01-0000015551-76	

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Identifier	Classification	
Base oil paraffinic	EINECS: 265-157-1	CLP: Asp. Tox. 1;H304	
Hydrocarbons, low viscosity	EC: 500-183-1	CLP: Asp. Tox. 1;H304	
alkarylamine, longchained	EINECS: 253-249-4	CLP: Aquatic Chronic 4;H413	
alkylphenol ester	EC: 406-040-9	CLP: Aquatic Chronic 4;H413	

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation EC 1272/2008."

SECTION 4: First aid measures

General:

Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation:	Supply fresh air; consult doctor in case of symptoms.
Eye contact:	Promptly wash eyes with plenty of water while lifting the eye lids.
Skin Contact:	Wash with soap and water.



Ingestion:	Rinse mouth thoroughly.	
4.2 Most important symptoms and effects, both acute and delayed:	May cause skin and eye irritation.	
4.3 Indication of any immediate medical attention and spe- cial treatment needed	Get medical attention if symptoms occur.	
SECTION 5: Firefighting measure	S	
5.1 Extinguishing media		
Suitable extinguishing me- dia:	CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-ed	
Unsuitable extinguishing media:	Water with a full water jet.	
5.2 Special hazards arising from the substance or mix- ture:	During fire, gases hazardous to health may be formed.	
5.3 Advice for firefighters		
Special fire fighting proce- dures:	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.	
Special protective equip- ment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	

SECTION 6: Accidental release measures

6.1 Personal precautions, pro- tective equipment and emergency procedures:	In case of spills, beware of slippery floors and surfaces.
6.2 Environmental Precautions:	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.



6.4 Reference to other sec- tions:	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.	
SECTION 7: Handling and storage):	
7.1 Precautions for safe han- dling:	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil prod- ucts or chemical products. Observe good industrial hygiene practices. Pro- vide adequate ventilation.	
7.2 Conditions for safe storage, including any incompatibili- ties:	Local regulations concerning handling and storage of waterpolluting prod- ucts have to be followed. Do not heat up to temperatures close to the flash point.	
7.3 Specific end use(s):	No data available.	
Storage Class:	10, Combustible liquids	
SECTION 8: Exposure controls/personal protection		
8.1 Control Parameters Occupational Exposure Limits None of the components have assigned exposure limits.		

8.2 Exposure controls	
Appropriate engineering controls:	Provide adequate ventilation. Ventilation rates should be matched to condi- tions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air- borne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information:	Wash hands before breaks and after work. Use personal protective equip- ment as required. Personal protection equipment should be chosen accord- ing to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad- hered to inhandling the chemicals or the mineral oil products.
Eye/face protection:	Safety glasses (EN 166) recommended during refilling.



Skin protection Hand Protection:	Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recom- mended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety direc- tions. The exact break through time has to be found out by the manufactur- er of the protective gloves and has to be observed.
Other:	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
Respiratory Protection:	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
Thermal hazards:	Not known.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot- wear that cannot be cleaned.
Environmental Controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Green
Odor:	Characteristic
Odor Threshold:	Not applicable for mixtures
pH:	Not applicable
Freezing point:	Not applicable for mixtures
Boiling Point:	Value not relevant for classification
Flash Point:	230 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	Value not relevant for classification
Flammability Limit - Upper (%)–:	Value not relevant for classification
Flammability Limit - Lower (%)–:	Value not relevant for classification
Vapor pressure:	Not applicable for mixtures
Vapor density (air=1):	Not applicable for mixtures
Density:	0,84 g/ml (15,00 °C)
Solubility(ies)	



Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	Value not relevant for classification
Decomposition Temperature:	Value not relevant for classification
Kinematic viscosity:	42,3 mm2/s (40,00 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
9.2 Other information	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and oth- er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:	
Specified substance(s) Base oil paraffinic	Not classified for acute toxicity based on available data.
	LD 50 (Rat): > 5.000 mg/kg
Hydrocarbons, low vis- cosity	LD 50 (Rat): > 5.000 mg/kg
alkarylamine, long- chained	LD 50 (Rat): > 5.001 mg/kg (OECD 423)
Dermal Product:	
Specified substance(s) Base oil paraffinic	Not classified for acute toxicity based on available data.
	LD 50 (Rabbit): > 5.000 mg/kg



Inhalation Product:		
Specified substance(s)	Not classified for acute toxicity based on available data.	
Hydrocarbons, low vis- cosity	LC 50 (Rat, 4 h): > 5 mg/l Dusts, mists and fumes	
Skin Corrosion/Irritation: Product: Specified substance(s) alkarylamine, long- chained	Based on available data, the classification criteria are not met. OECD 404 (Rabbit): Not irritant.	
Serious Eye Damage/Eye Irri Product: Specified substance(s) alkarylamine, long- chained	ritation: Based on available data, the classification criteria are not met.	
	OECD 405 (Rabbit): Not irritant.	
Respiratory or Skin Sensitiz	Respiratory or Skin Sensitization:	
Product:	Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.	
Specified substance(s)		
alkarylamine, long- chained	No sensitizing effect (guinea pig); OECD 406	
Germ Cell Mutagenicity Product:	Based on available data, the classification criteria are not met.	
Carcinogenicity Product:	Based on available data, the classification criteria are not met.	
Reproductive toxicity Product:	Based on available data, the classification criteria are not met.	
Specific Target Organ Toxic Product:	ity - Single Exposure Based on available data, the classification criteria are not met.	
Specific Target Organ Toxicity - Repeated Exposure Product: Based on available data, the classification criteria are not met.		
Aspiration Hazard Product: Specified substance(s) Base oil paraffinic	Based on available data, the classification criteria are not met.	
	May be fatal if swallowed and enters airways.	
Other adverse effects:	No data available.	



SECTION 12: Ecological information

12.1 Toxicity

•	
Acute toxicity Product:	Based on available data, the classification criteria are not met.
Fish Specified substance(s) Base oil paraffinic	LC 50 (Fish, 96 h): > 100 mg/l
Hydrocarbons, low vis- cosity	LC 50 (Fish, 96 h): > 750 mg/l
alkarylamine, long- chained	LC 50 (Fish, 96 h): > 101 mg/l (OECD 203)
Aquatic Invertebrates Specified substance(s) Base oil paraffinic	EC 50 (Water Flea, 48 h): > 100 mg/l
Hydrocarbons, low vis- cosity	EC 50 (Water Flea, 48 h): 190 mg/l
alkarylamine, long- chained	EC 50 (Water Flea, 48 h): > 101 mg/l (OECD 202)
Chronic ToxicityProduct:	Based on available data, the classification criteria are not met.
Toxicity to Aquatic Plants Specified substance(s) Hydrocarbons, low vis- cosity	EC 50 (Alga, 72 h): > 1.000 mg/l
alkarylamine, long- chained	EC 50 (Alga, 72 h): > 101 mg/l (OECD 201)
12.2 Persistence and Degradability	
Biodegradation Product: Specified substance(s)	Not applicable for mixtures
alkarylamine, long-	1 % (28 d, OECD 301B) Not easily biodegradable

chained 12.3 Bioaccumulative potential

Not applicable for mixtures



Specified substance(s) alkarylamine, long- chained	Bioconcentration Factor (BCF): 1.584	
12.4 Mobility in soil: Product:	Not applicable for mixtures	
12.5 Results of PBT and vPvB assessment:	The product does not contain any substances fulfilling the PBT/vPvB crite- ria.	
12.6 Other adverse effects:	No data available.	
Water Hazard Class (WGK):	WGK 1: slightly water-endangering.	
SECTION 13: Disposal considerations		
13.1 Waste treatment methods		
General information:	Dispose in accordance with all applicable regulations.	
Disposal methods:	Do not empty into drains; dispose of this material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instructions are observed.	
European Waste Codes		
	13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils	
SECTION 14: Transport information		

ADR/RID	
14.1 UN Number:	_
14.2 UN Proper Shipping Name:	_
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	_
Hazard No. (ADR):	_
Tunnel restriction code:	_
14.4 Packing Group:	_
14.5 Environmental hazards:	_
14.6 Special precautions for user:	_



ADN	
14.1 UN Number:	-
14.2 UN Proper Shipping Name: 14.3 Transport Hazard Class(es)	-
Class:	Non-dangerous goods
Label(s):	_
14.3 Packing Group:	_
14.5 Environmental hazards:	-
14.6 Special precautions for user:	-
IMDG	
14.1 UN Number:	-
14.2 UN Proper Shipping Name:	-
14.3 Transport Hazard Class(es) Class:	Non-dangerous goods
Label(s):	
EmS No.:	-
14.3 Packing Group:	-
14.5 Environmental hazards:	_
14.6 Special precautions for user:	-
ΙΑΤΑ	
14.1 UN Number:	_
14.2 Proper Shipping Name:	_
14.3 Transport Hazard Class(es): Class:	
Label(s):	Non-dangerous goods –
14.4 Packing Group:	
14.5 Environmental hazards:	_
14.6 Special precautions for user:	-

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information:

Vertical lines in the margin indicate an amendment.



Wording of the H-statements in section 2 and 3

0	
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.
Other information:	The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the application of the conventional method.
Revision Date:	07.04.2020
Disclaimer:	The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.